

# **PEM Electrolysis**

HyAxiom PEM Electrolysis products provide high power density and scalable technology that connect to renewable power resources to generate 100% green hydrogen

#### **Flexible Operating Modes**

Load following and demand following operating modes are available

#### **Remote Monitoring & Control**

Industry leading remote monitoring and data analytics maximize product efficiency and uptime

#### **Modular & Scalable**

Hydrogen and water processing equipment and installations that scale with application needs

# SYSTEM HIGHLIGHTS

#### HYDROGEN PRODUCTION

H <sub>2</sub> Production Rate	431.5 kg/day (200 Nm³/hr at 0°C, 1 atm)
System Efficiency @ BOL	57.0 kWh/kg H <sub>2</sub> (69.2% HHV)
H <sub>2</sub> Product Purity	
H <sub>2</sub> Product Pressure	30 barg



#### **OPERATING CHARACTERISTICS**

Start Time from Standby<5 mins
Ramp Time to Full Capacity
Turndown Capability

### **ENVIRONMENTAL CHARACTERISTICS**

Ambient Operating Temp ...... -20°C to 40°C (option for 50°C)

## WATER MANAGEMENT CHARACTERISTICS


Water Supply QualityPo	otable	Water
Water Consumption	. <4.5	L/min
Water Discharge	. <1.6	L/min


#### SITE ELECTRICAL INTERFACES

#### CODES AND STANDARDS

ISO 22734: Hydrogen generators using water electrolysis ANSI/CSA B22734 (planned): Hydrogen generators using water electrolysis


# **SYSTEM DIMENSIONS**






**HyAxiom, Inc.** 101 East River Drive East Hartford, CT 06108 (860) 727-2253 email: sales@doosan.com www.hyaxiom.com

# Cooler Module (Glycol Coolant)




Front View



Side View

## **Chiller Module (Glycol Coolant)**



#### **Power Conditioning Hardware**

Transformer	10.5 (3200) W x 4.7 (1422) L x 8.5 (2578) H
Rectifier	. 3.3 (1000) W x 5.4 (1635) L x 7.3 (2225) H
Switchgear	3 (914) W x 4 (1207) L x 7.6 (2324) H
DC Enclosure	3 (914) W x 1.1 (325) L x 6 (1829) H

The manufacturer reserves the right to change or modify, without notice, the design or equipment specifications without incurring any obligation either with respect to equipment previously sold or in the process of construction. The manufacturer does not warrant the data on this document.